## EHR Patient Report Instructions: Greenway PrimeSuite

Reports in Greenway PrimeSuite EHR can be used to identify appropriate patients within the practice panel not at treatment goal. These reports enable the practice to analyze clinical data about their patients based on specific information, such as: Diagnosis, Lab results, Medications.

The following instructions provide information on how to run reports of all patients with an A1C >9% and with established cardiovascular disease. For additional questions, please reach out to your EHR vendor for technical support.






Click Custom Reports in the left menu

2

Select Clinical – Patient Listing from the Chart menu





Greenway PrimeSuite: Patients with an A1C >9%



Click Current Report Filters

Select Result: Name

5 Select contains

Select A1c


7

Select Result: Value

Select greater than

Select 9

Click OK






Greenway PrimeSuite: Patients with an A1C >9%



Click Immediate to see the results





Greenway PrimeSuite: Patients with an A1C >9%



(12

Examples of ICD-10 codes related to CVD may be found on the final page

Select Diagnosis: Document Diagnosis



Select is equal to



Enter relevant CV diagnosis (eg, stroke) and complete for other diagnoses




File									
	A/R Management Cl	hart Registration Repo	rting Schedule S	ystem Help 🕜	)				Admin
a 😬	Report Sel	ection						Monday, Sept	ember 18 2
Report Groups Favorites	Filters fo	or Clinical - Patier	nt Listing						
Custom Reports	Visible	Fields							
A/R Management Chart		ame, Patient: Date of E	Birth, Result: Nam	e, Result: Value,	Diagnosis: Do	ocument Diagnosis	5		
Registration		Report Filters		, ,	-	tch ALL Filters)			
Schedule System	Report Filte				( ····				
	Match ALL	Filters <b>v</b>						<b>1</b>	
Filters  Current Filters		Field Name	Ор	erator	N	Natch Value			
Actions	Result:	Name	▼ contains	•	A1c		<u>clear</u>		
Immediate	Result:	Value	▼ greater t	than 🔻	9		<u>clear</u>		
Background Schedule Report	Diagnos	is: Document Diagnosis	is equal	to 🔼 🔻	stroke	<b></b>	<u>clear</u>		
Save Filter		is: Document Diagnosis	• 12 Jual		transient	t ischemic attack			
Delete Filter Reset Criteria	Diagnos	is: Document Diagnosis	▼ equal		unstable	angina			
Close		5				5			
		ок 🌔		Clear		Clear All			
			5						



Greenway PrimeSuite: Patients with an A1C >9% and Established Cardiovascular Disease



Click Immediate to see the results





Greenway PrimeSuite: Patients with an A1C >9% and Established Cardiovascular Disease

## I20.0 Unstable angina

- I21.0 ST elevation (STEMI) myocardial infarction of anterior wall
- I21.1 ST elevation (STEMI) myocardial infarction of inferior wall
- I21.2 ST elevation (STEMI) myocardial infarction of other sites
- I21.3 ST elevation (STEMI) myocardial infarction of unspecified site
- I21.4 Acute subendocardial myocardial infarction
- I22.0 Subsequent myocardial infarction of anterior wall
- I22.1 Subsequent myocardial infarction of inferior wall
- I22.8 Subsequent myocardial infarction of other sites
- I25 Chronic ischemic heart disease
- I25.1 Atherosclerotic heart disease of native coronary artery
- I25.5 Ischemic cardiomyopathy
- 125.6 Silent myocardial ischemia
- I42.0 Dilated cardiomyopathy

- 146.2 Cardiac arrest due to underlying condition 146.8 Cardiac arrest due to other underlying condition 146.9 Cardiac arrest, unspecified **I50 Heart Failure** 150.1 Left ventricular failure 163.3 Cerebral infarction due to thrombosis of cerebral arteries 165.2 Occlusion and stenosis of carotid artery 166.0 Occlusion and stenosis of middle cerebral artery 167.2 Cerebral atherosclerosis 170.0 Atherosclerosis of aorta 170.2 Atherosclerosis of native arteries of the extremities 171.1 Thoracic aortic aneurysm, ruptured
- 171.2 Thoracic aortic aneurysm, without rupture

