
EHR Patient Report Instructions: Practice Partner

Reports in Practice Partner EHR can be used to identify appropriate patients within the practice panel not at treatment goal. These reports enable the practice to analyze clinical data about their patients based on specific information, such as: Diagnosis, Lab results, Medications.

The following instructions provide information on how to run reports of all patients with an A1C >9% and with established cardiovascular disease. For additional questions, please reach out to your EHR vendor for technical support.




- 1 Click Reports in the top menu
- 2 Select Patient Inquiry






- Click on the Selection Criteria field
- Select 110. Laboratory Data Item






- 5 Enter HbA1c in the Lab Name field
- 6 Enter 9 in the Value field
- 7 Click Ok






- 8 Set the Operator Selected to More Than or Equal
- 9 Click OK








Click Run for the report






- Examples of ICD-10 codes related to CVD may be found on the final page
- Select 38. Problem (Diagnosis)
- 12 Click Add






- Enter relevant CV diagnosis (eg, stroke)
- 14 Click OK
- Set the Operator Selected to Equal To
- 16 Click O







Click Run for the report





Examples of ICD-10 codes related to CVD

I20.0 Unstable angina	
I21.0 ST elevation (STEMI) myocardial infarction of anterior wall	I46.2 Cardiac arrest due to underlying condition
I21.1 ST elevation (STEMI) myocardial infarction of inferior wall	I46.8 Cardiac arrest due to other underlying condition
I21.2 ST elevation (STEMI) myocardial infarction of other sites	I46.9 Cardiac arrest, unspecified
I21.3 ST elevation (STEMI) myocardial infarction of unspecified site	I50 Heart Failure
I21.4 Acute subendocardial myocardial infarction	I50.1 Left ventricular failure
I22.0 Subsequent myocardial infarction of anterior wall	163.3 Cerebral infarction due to thrombosis of cerebral arteries
I22.1 Subsequent myocardial infarction of inferior wall	165.2 Occlusion and stenosis of carotid artery
I22.8 Subsequent myocardial infarction of other sites	166.0 Occlusion and stenosis of middle cerebral artery
I25 Chronic ischemic heart disease	I67.2 Cerebral atherosclerosis
I25.1 Atherosclerotic heart disease of native coronary artery	I70.0 Atherosclerosis of aorta
I25.5 Ischemic cardiomyopathy	I70.2 Atherosclerosis of native arteries of the extremities
I25.6 Silent myocardial ischemia	I71.1 Thoracic aortic aneurysm, ruptured
I42.0 Dilated cardiomyopathy	I71.2 Thoracic aortic aneurysm, without rupture

